

Lake Alexandrina Bathymetry



Legend

- Towns
- ▬ Barrages
- ▬ Major Roads
- ▬ Major Tributaries

Lower Lakes Bathymetry (m AHD)

- 0.5 to 1 m
- 0 to 0.5 m
- 0.5 to 0 m
- 1.0 to -0.5 m
- 1.5 to -1.0 m
- 2.0 to -1.5 m
- 2.5 to -2.0 m
- 3.0 to -2.5 m
- 5.0 to -3.0 m
- Below -5.0 m

Location Map



Accuracy The bathymetry layer is a combination of Sonar and LiDAR acquisition methods. The combined layers have a derived vertical accuracy assessment of approximately +/- 0.15m. Please note disclaimer below.

Produced by Information Science & Technology
Department for Environment and Heritage
GPO Box 1047, Adelaide 5001
www.environment.sa.gov.au

Data Sources Sonar - SAWater, 2004 & 2006,
LiDAR - DWLBC, 2008
Aerial Photography - DWLBC March 2008
& DEH 2000

Compiled 20 May 2009
Projection Lambert Conformal Conic
Datum Geocentric Datum of Australia, 1994

© Copyright Department for Environment and Heritage 2008.
All Rights Reserved. All works and information displayed are subject to Copyright.
For the reproduction or publication beyond that permitted by the Copyright Act 1968
(Cwth) written permission must be sought from the Department.

Although every effort has been made to ensure the accuracy of the information displayed, the Department, its agents, officers and employees make no representations, either express or implied, that the information displayed is accurate or fit for any purpose and expressly disclaims all liability for loss or damage arising from reliance upon the information displayed.